

2023 Catalogue













DCI

NSK Create it ▲

trident

ENARDI







Ceramic spittoon

removable and autoclavable spittoon for easy cleaning. Rotates 180° for convenient patient access.

Assistant table

- Luzzani or DCI triplex syringe
- HVE and LVE hoses
- Touch panel for the operation of cup filler, bowl flush, treatment positions and light activation.

Patient chair

- Multi-functional foot pedal for easy control of treatment positions
- Emergency cut off switch
- Easy accessible suction filter
- Trendelenburg position
- Chrome or white armrests
- Large selection of vibrant colours
- Optional clean water system





- Dr Kanowitz, Principal Dental Surgeon, Hornsby

Doctor table

- 2 fibre optic high speed lines
- 1 electric micro motor (with Electric chair)
- optional scaler
- choose from the following:



traditional

or continental



pneumatic



electric




DCI

or

or



Luzzani







Isudent WE SUPPORT YOUR PROFESSION PARTNER

Friendly to use - Easy on wallet

- Built with the budget conscious professional in mind, the Swident Friend Easy boasts a simple design in a robust, yet compact frame that fits into operatories with limited space. Includes Faro LED Maia dental light.
- Pneumatic foot control allows progressive regulation of the micro motor and Spray and Chip blower function.
- Traditional or Continental delivery system. Equipped with: 1 high speed fibre optic line,
 1 low speed line and space for scaler. Select from either DCI or Luzzani triplex syringe.
- Available as an orthodontic chair without the spittoon and doctor table.




"The Friend Easy fits perfectly in our modest surgery room that measures only 3 x 3 metres, still affording extra room for the operator and assistant"

- Dr Praveen Ayethepalle, Perth Dentist

Now available in Rear Suction

- Enjoy all the benefits of the Swident Partner chair, now with a rear suction arm. Included on the rear arm is a triplex syringe, HVE and LVE lines.
- The pneumatic dental chair includes Faro Maia LED dental light, pneumatic foot pedal, 2 high speed fibre optic lines, 1 low speed line and optional EMS or NSK scaler.
- Soft memory foam upholstery in various vibrant colours.
- Choose from continental or traditional delivery style.
- The continental over the patient delivery table combined with the rear suction arm allows more flexibility and is suitable for left and right handed operators.













Swident cart

- Luzzani or DCI triplex syringe
- 1 highspeed FO, 1 lowspeed line
- 2 additional spaces
- · Pneumatic foot control
- Optional clean water system

"The Friend Easy compliments our practice very well. They are user friendly and perform reliably. There are good reasons why we bought six chairs over 7 years."

- Dr Kanthathas, Orthobay, NSW

Doctor and assistant stools







DCI Delivery Systems

Suitable for orthodontic units, left and right hand use or surgeries with limited space

DCI delivery systems include:

- DCI Precision comfort triplex syringe
- 3 handpiece lines (eg. highspeed, lowspeed, space for scaler)
- Individual drive air and water coolant controls
- Wet/Dry foot control



Mobile cart system #4511

- Sturdy all metal control head with smooth lines for easy cleaning
- Stainless steel tray and holder
- Deluxe clean water system
- 1/4" water QD w/flow control
- 7ft of 1/4" umbilical
- Optional fibre optic lines
- Optional EMS or NSK scaler handpiece

Unit or cabinet mount #4478

- Available in left or right hand configuration
- Flex arm system mounts on 2" post
- Deluxe clean water system
- 7ft of 5/8" umbilical
- Fitted to A-dec® and other equipment brands
- Optional fibre optic lines
- Optional storage area for high tech accessories
- Optional EMS or NSK scaler handpiece







7

DCI Delivery systems



DCI III Manual Unit #4502




Panel mount automatic control for 3 handpieces #4416



Cabinet mount #4370 Unit mount #4376

DCI Repair and Service Kits



Gasket, to fit A-dec® W&H Lisa MB17 sterilizer #2186



1/4" poly Q.D panel mount with shut-off, female #0011



Solids collector disposable screen 1-7/8" diam. #5818



Service kit, to fit A-dec® Century Plus® control block #9154



Quick clean syringe buttons and repair kit #3098



O'ring Pk12 #2203 corresponds with A-dec® 030-006-00

DCI Dental Chair components



A-dec® valve #5062



Water bottle 2 #8164 1l #8669 750ml #8128





Light shield for A-dec® halogen lights #9390



Light shield for Belmont®



Clesta #8959



Kavo® LED globe #9372



Belmont Clesta® globe #8890



Syringe tip #3060 autoclavable Syringe tip A-dec® #3055



Syringe, one button #3640 no tubing or kit, non autoclavable



Syringe, Precision Comfort #3604 non autoclavable



Syringe, autoclavable #3370 valve core, head only

These parts are manufactured by DCI to fit A-dec® equipment. DCI has no affiliation with A-dec Inc. DCI replacemement parts are not manufactured under license or supervision of A-dec®





Compressors

Nardi compressors are manufactured to the highest standard to deliver quality, OIL FREE, DRY, CLEAN AIR







25L 73 dB



10000

&DENTAL





- Minimal maintenance
- 4 year parts warranty
- Made in Italy
- Certified by Workcover NSW
- Suitable for All climates



30L 64 dB; 50L 62 dB





50L hood 67dB 50L 73 dB



Compressors

Oil residue can damage handpieces and fine pneumatic controls in the dental units. An oil free dental compressor is vital in protecting the health of your staff and patients. It will ultimately increase the longevity of your equipment.

Tanks are furnace painted on the inside and outside using epoxy electrostatic dust to prevent corrosion. All the compressors are certified by Workcover NSW.







50L 73 dB

90L 73 dB

90L CAD\CAM 73 dB

tank size	dryer	cylin- ders	air intake	output √min @5bar	pressure Bar	power HP	decibles dB	weight Kg	dimension LxWxH cm
25 ℓ	yes	2	350	156	8	2.00	73	44	59x43x66
25 ℓ hood	yes	2	350	156	8	2.00	67	48	70x43x78
30 ℓ cabinet	yes	2	350	156	8	2.00	64	79	71x44x76
50 ℓ W	yes	2	350	156	8	2.00	73	51	84x44x68
50 ℓ T	yes	4	480	240	8	2.50	73	60	64x45x89
50 ℓ hood	yes	2	350	156	8	2.00	67	55	70x43x98
50 ℓ cabinet	yes	2	350	156	8	2.00	62	96	85x50x82
90 ℓ	yes	4	480	240	8	2.50	73	86	110x59x81
90 ℓ cadcam	2	4	480	240*	10	2.50	73	86	110x59x81

*output @ 8bar=190 ℓ/min





Intra-oral X RAY



State-of-the-art technology, superior performance and reliable service makes the Trident intra-oral xray **RiX-70 DC** the clear choice.

Leading edge .04mm focal spot technology delivers outstanding image quality. Whether your using film or digital applications, your images are sharper with incredible detail and superior contrast. The result is improved diagnostics and enhanced patient care.

The main control panel has easy to read icons offering numerous preset exposure settings for patient size (child, small adult, large adult), tooth structures, film type (plates, sensor or film). An additional keypad is installed near the tube head to manually adjust the exposure time and tooth type.

Adjustable tube voltage of 60-70 kV combined with steady current of 7mA allows the operator to select various settings to produce detailed images for improved sharpness and contrast.

With a strong, robust design, the wall mounted xray arm is available in lengths of 100cm, 80cm and 60cm to suit even the most challenging of spaces.

Backed up by 2 year warranty on parts and 1 year on labour, the Rix-70 DC xray represents excellent value for money. All products are engineered and manufactured by Italian company Trident, who specialise in radiological products.





RiX-70 DC

OPG Panoramic 2D



Provide superior treatment with the **Panoramico 2D** OPG. An evolutionary machine with a compact streamlined design that fits easily into your practice.


Achieve outstanding image quality when producing any of the following programs:

- Adult and child panoramic
- Bitewing
- Sectoral panoramic and reduced radiation panoramic
- Orthopanoramic
- TMJ
- Paranasal sinuses



OPG Panoramico 2D

Phosphor Plate system



Fast readout time 10 seconds. Plates are cleaned and ready for immediate use.

Support up to 10 workstations. TWAIN driver available. Integrates with most popular practice management software.

Starter pack includes phosphor plate sizes 0,1,2,3, covers and sleeves.





Reader



Ultrasonic Cleaners

Warranty 21/2 years circuit board, 5 years transducers, 10 years tank



L&R SweepZone AgION

- Antimicrobial-coated housing provides a continuous shield from bacteria, mould and fungi to keep your equipment clean and safe.
- SweepZone technology sweeps through the entire tank resulting in a total clean of all instruments irrespective of their position in the tank. Eliminates hot spots and weak areas!
- Digital touch pad allows easy control of the functions.
- Stainless steel housing and lid means it is corrosion, rust and fingerprint resistant.
- 4L LxWxH 32.2 x 17.5 x 22.2; 67dB
 12.3L 41.9 x 25.4 x 30.5; 67dB



Benchtop model

- Flush lid design provides a clean streamline benchtop area.
- Recessed cover collects condensation.
- Recessed model sizes: 12.3L, 13.6L, 24.6L



4L SweepZone



Recessed model

Ultradose Wavecheck ultrasonic test monitor



Strips measure these variables:

- Cavitation
- Time and Temperature
- Solution ratio

Steam Steriliser

Warranty 2 years or 2500 cycles



The Melag brand is synonymous with quality, economy, speed and above all unparalleled sterilisation treatment for your dental instruments. Proudly made in Germany, Melag steam sterilisers are manufactured and tested under the strictest conditions to ensure complete customer satisfaction.

Evolution B Class autoclave incorporates revolutionary patented technologies to deliver faster, secure and more efficient processing of your instruments.

Double Jacket technology ensures air is rapidly removed from all load types (solid, hollow, wrapped and unwrapped) in the sterilisation chamber. The result is fast and efficient processing times.

Innovative and patented DRYtelligence reduces drying times by 80%. A special sensor automatically adapts to the drying load. A smaller load requires less drying time therefore limiting the exposure of the instruments to unnecessary heat and damage.

World's largest colour touch display is now even bigger. The intuitive menu structure enables program and cycle selection. Sterilisation run, log and other information is displayed in a clear, easy to read fashion.

Plumbed steriliser 22L B Class

- 20 minute Quick program B cycle for a maximum of 1.5kg wrapped or 7kg unwrapped instruments.
- 30 minute Universal program up to 7kg including drying.
- Start time preselection allows you to preselect and run a program at a later determined time.
- Water treatment Meladem 40 ion exchanger unit automatically fills the steriliser with demineralised water and disposes of unused water.



Melag 44B+



Thanks to the increased chamber size you can select up to 8 trays and various configurations to suit your individual requirements.




If you want to label and trace the instruments following the successful sterilisation process, use MELAprint 60.



DMEGA Suction Motors Semi-Wet System

Robust and Reliable. Patented technology to Guarantee 100% Air and Water separation



DMEGA Teravac 6000 is the most powerful and responsive suction motor with variable speed, high airflow and amalgam retention unit that enables up to 4 operators to work simultaneously. The intelligent Mitsubishi inverter monitors the vacuum levels and adapts accordingly to provide maximum suction whether you are running 1 or 4 chairs.

The patented innovative design uses 2 cyclone impellors to guarantee 100% air and liquid separation. Furthermore, the implementation of the patented Triple Wing System and auto drain valve, releases residue from the separator thereby reducing blockages, maintenance and ultimately costly repairs.

An optional amalgam retention device, available for all motors.





Teravac 6000

4 Dental Units

S101 1 Dental Unit

		S101	Teravac 3000	Teravac 5000	Teravac 6000	
	Treatment units	1 unit	2 units	3 units	4 units	
	Frequency	50-60 Hz	0-70 Hz	0-70 Hz	0-65 Hz	
	Main voltage	230 VAC	230 VAC	230 VAC	230 VAC	
	Max Airflow	280 l /m	600 ℓ/m	900 ℓ/m	1200 l/m	
	Max Vacuum	170-200 m bar	370 m bar	370 m bar	370 m bar	
	Decibels	55 dB	59 dB	61 dB	61 dB	
	Weight	22 kg	32 kg	33 kg	37 kg	
	Dimension	33x54x62	41x51x61	41x51x61	41x51x63	
	cm WxLxH					



Knee break dental chair - Linda Next

The knee break chair provides ease of use and outstanding comfort for both patient and doctor.

- Extremely easy to use thanks to the joystick foot control and built in programs for patient positioning, rinse position, last position, Trendelenberg and zero positions
- 3 operator profiles with 3 programmable positions
- Minimum height 500mm and maximum height of 875mm allows for standing procedures
- Synchronised chair movements allow smooth operation of the backrest and footrest. Slow mode feature option allows for precise patient positioning
- Articulated headrest provides comfort and accommodates different procedures
- Emergency safety switch and patient lifting capacity of 300Kg



Options:

- Rotating base; wheels
- Swiveling left and right armrests
- Soft upholstery
- Various headrests
- Backrest motorised height adjustment
- Child booster seat
- Faro LED light and tray

Optional Faro led light and tray







Alginate mixing machine

M GX-300



Work with perfectly mixed, bubble-free alginate every time. Brilliant durable little benchtop machine. Designed for use with any alginate or stone, this robust simple device mixes three scoops in just 11 seconds with no dust or waste. Never hand mix again.

"I bought 2 of these machines for my practice.. I was so impressed I now own 14!"

- Dr Joseph Geenty Wollongong Orthodontist

Hoses



EMS®, EMS® no pain EMS® for Anthos®



Satelec® scaler hose



Fibre optic, non fibre optic hose

Cordless LED curing light

BlueLEX LD-M4

- Full power mode reaches 1000 mW/cm²
- Charge with micro usb, Wavelength 420-490nm
- Long battery life



- Stable, quiet and vibration free
- Powerful speed ensures consistent and homogenous mixing results
- 2 memory settings, adjustable timer 1-30 sec.
- · Compatible with all amalgam, glass ionomer, cements on the market.



Kavo® fibre optic hose



Sirona® high speed hose



Sirona® micromotor hose

LVE




Cattani® 11mm OEM 8mm, 10mm

HVE

Connectors



Cattani® 17mm OEM 15mm, 16mm, 20mm



Cattani® connectors and terminals for HVE and LVE



Ceiling mount



Led lights



Lux from 3.000 to 35.000 at 700 mm distance.

Lighting spot 205 x 100 mm at 700 mm distance.

Rotation on 2nd axis



4 colour temperatures:

5700K for high concentration 5000K for orthodontics 4000K Ideal for surgery 2700K ideal for curing Rotation on 3rd axis











Mini air micro motors S-Max M205

Mini electric micro motors NLX PLUS/MULTIPAD

Electric micromotor system
NLZ E



The state of the s



Couplings
PTL-CL-LED

Contra angle handpieces
Ti-Max Z95L SWITCH

High speed handpieces S-Max M900L







Oral hygiene Varios 170

Maintenance iCare C2

Ask us about Handpiece Repairs

Showrooms

Sydney, Perth, Newcastle, Townsville





Free Call 1800 061 343 • T 02 9567 3555 • F 02 9599 2153 Suites 5&6, 39-45 George Street, PO Box 554, Rockdale NSW 2216 www.ampacdental.com.au • info@ampac-dental.com.au